


## F-PCP

Sample Type: **Biological Fluid**

Latest Revision: **February 4, 2021**

Date of Report: **February 4, 2021**



### 1. GENERAL INFORMATION

<b>IUPAC Name:</b>	1-[1-(3-fluorophenyl)cyclohexyl]piperidine
<b>InChI String:</b>	InChI=1S/C17H24FN/c18-16-9-7-8-15(14-16)17(10-3-1-4-11-17)19-12-5-2-6-13-19/h7-9,14H,1-6,10-13H2
<b>CFR:</b>	Not Scheduled (02/2021)
<b>CAS#</b>	1049718-37-7 (3F-PCP)
<b>Synonyms:</b>	3F-PCP, 3-Fluoro-PCP, 3-Fluoro Phencyclidine, 4F-PCP, 4-Fluoro-PCP, 4-Fluoro Phencyclidine
<b>Source:</b>	NMS Labs – Toxicology Department

**Important Notes:** All identifications were made based on evaluation of analytical data (LC-QTOF-MS) in comparison to analysis of acquired reference material. The “3-fluoro” configuration was used for structural purposes; however, position of the fluorine atom was not confirmed during analysis.

**Prepared By:** Alex J. Krotulski, PhD; Sara E. Walton, BS; Melissa F. Fogarty, MSFS, D-ABFT-FT; and Barry K. Logan, PhD, F-ABFT

## 2. CHEMICAL AND PHYSICAL DATA

### 2.1 CHEMICAL DATA

Form	Chemical Formula	Molecular Weight	Molecular Ion [M <sup>+</sup> ]	Exact Mass [M+H] <sup>+</sup>
Base	C <sub>17</sub> H <sub>24</sub> FN	261.4	261	262.1966

### 3. SAMPLE HISTORY

F-PCP has been identified in at least one toxicology case since December 2020. The geographical and demographical breakdown is below:

**Case Type:** Postmortem (n=1)

**Geographical Location:** Canada (n=1)

**Biological Sample:** Blood (n=1)

**Date of First Collection:** October 2020

**Additional NPS Findings:** HO-PCP, Deschloroketamine, Fluoromethamphetamine

### 4. BRIEF DESCRIPTION

F-PCP is classified as a novel hallucinogen. Novel hallucinogens have been reported to cause effects similar to ketamine and phencyclidine (PCP). Novel hallucinogens have caused adverse events, including death, as described in the literature. Structurally similar compounds include PCP, MeO-PCP, and HO-PCP. PCP is a Schedule II substance in the United States; however, MeO-PCP, HO-PCP, and F-PCP are not explicitly scheduled.

### 5. ADDITIONAL RESOURCES

[https://www.policija.si/apps/nfl\\_response\\_web/0\\_Analytical\\_Reports\\_final/3F-PCP-ID-2186-20\\_report.pdf](https://www.policija.si/apps/nfl_response_web/0_Analytical_Reports_final/3F-PCP-ID-2186-20_report.pdf)

[https://www.caymanchem.com/product/31042/3-fluoro-pcp-\(hydrochloride\)](https://www.caymanchem.com/product/31042/3-fluoro-pcp-(hydrochloride))

## 6. QUALITATIVE DATA

### 6.1 GAS CHROMATOGRAPHY MASS SPECTROMETRY (GC-MS)


**Testing Performed At:** The Center for Forensic Science Research and Education at the Fredric Rieders Family Foundation (Willow Grove, PA)

**Sample Preparation:** Standard diluted in methanol

**Instrument:** Agilent 5975 Series GC/MSD System

**Standard:** Reference material for 3F-PCP (Batch: 0592295-3) was purchased from Cayman Chemical (Ann Arbor, MI, USA).  
([https://www.caymanchem.com/product/31042/3-fluoro-pcp-\(hydrochloride\)](https://www.caymanchem.com/product/31042/3-fluoro-pcp-(hydrochloride)))


#### EI (70 eV) Mass Spectrum: 3F-PCP (Standard)




## 6.2 LIQUID CHROMATOGRAPHY QUADRUPOLE TIME-OF-FLIGHT MASS SPECTROMETRY (LC-QTOF-MS)

<b>Testing Performed At:</b>	The Center for Forensic Science Research and Education at the Fredric Rieders Family Foundation (Willow Grove, PA)
<b>Sample Preparation:</b>	No additional preparation - direct analysis of sample extract
<b>Instrument:</b>	Sciex TripleTOF® 5600+, Shimadzu Nexera XR UHPLC
<b>Column:</b>	Phenomenex® Kinetex C18 (50 mm x 3.0 mm, 2.6 µm)
<b>Mobile Phase:</b>	A: Ammonium formate (10 mM, pH 3.0) B: Methanol/acetonitrile (50:50) Flow rate: 0.4 mL/min
<b>Gradient:</b>	Initial: 95A:5B; 5A:95B over 13 min; 95A:5B at 15.5 min
<b>Temperatures:</b>	Autosampler: 15 °C Column Oven: 30 °C Source Heater: 600 °C
<b>Injection Parameters:</b>	Injection Volume: 10 µL
<b>QTOF Parameters:</b>	TOF MS Scan Range: 100-510 Da Precursor Isolation: SWATH® acquisition (27 windows) Fragmentation: Collision Energy Spread (35±15 eV) MS/MS Scan Range: 50-510 Da
<b>Retention Time:</b>	6.08 min
<b>Standard Comparison:</b>	Reference material for 3F-PCP (Batch: 0592295-3) was purchased from Cayman Chemical (Ann Arbor, MI, USA). Analysis of this standard resulted in positive identification of the analyte in the extract as F-PCP, based on retention time (6.05 min) and mass spectral data; however, absolute configuration of the structure as 3F-PCP vs. 4F-PCP was not determined. <a href="https://www.caymanchem.com/product/31042/3-fluoro-pcp-hydrochloride">https://www.caymanchem.com/product/31042/3-fluoro-pcp-hydrochloride</a> )


### Extracted Ion Chromatogram: F-PCP (Biological Sample)



### TOF MS Spectrum: F-PCP (Biological Sample)



### MS/MS Spectrum: F-PCP (Biological Sample)



### 7. FUNDING

Our program is supported in part by the National Institute of Justice, Office of Justice Programs, U.S. Department of Justice (Award Number 2020-DQ-BX-0007, “Real-Time Sample-Mining and Data-Mining Approaches for the Discovery of Novel Psychoactive Substances (NPS)”). The opinions, findings, conclusions and/or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect those of the Department of Justice.